

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

Trade name : MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

Company : Dow Corning S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

Service : Dow Corning Central Europe Tel: +49 6112371

Fax: +49 611237609

Dow Corning Northern Europe Tel: +44 1676528000

Fax: +44 1676528001 Dow Corning Southern Europe Tel: +33 472841360

Fax: +33 472841379

Emergency Phone Number : Dow Corning (Barry U.K. 24h)

Dow Corning (Barry U.K. 24h)

Dow Corning (Wiesbaden 24h)

Tel: +44 1446732350

Tel: +49 61122158

Tel: +32 64 888240

E-mail address (Safety Data

Sheet)

Use of the

sdseu@dowcorning.com
Lubricants and additives

substance/preparation

2. HAZARDS IDENTIFICATION

The principal hazards of the product as supplied are:

Highly flammable.

Irritating to eyes.

Vapours may cause drowsiness and dizziness.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Hydrocarbon aerosol propellant

Hazardous Ingredients:

TIMENT GOOD TINGS COLONION					
Name	CAS-No.	EINECS/ ELINCS No.	Conc. (% w/w)	Classification	
Propan-2-ol	67-63-0	200-661-7	15.0	Xi F	R36 R11 R67
2-Butoxyethanol	111-76-2	203-905-0	4.8	Xi Xn	R36/38 R20/21/22
Glycerine	56-81-5	200-289-5	4.8		
Nitrogen oxide (N2O)	10024-97-2	Exempt or not available	2.0	О	R8
Sodium nitrite	7632-00-0	231-555-9	0.1	O	R8



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

T R25 N R50

4. FIRST AID MEASURES

On contact with eyes : Immediately flush with water. If eye irritation persists, consult a specialist.

On skin contact : Flush with water.

If inhaled : Remove to fresh air. Obtain medical attention.

On ingestion : Do not induce vomiting. Obtain medical attention.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media : On large fires use dry chemical, foam or water spray (fog). On small fires use carbon

dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed

containers.

Unsuitable extinguishing

media

None known.

Hazards during fire fighting: Pressurised container capable of exploding if heated.

Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to

keep fire exposed containers cool.

Hazardous Combustion

Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned

carbon compounds. Formaldehyde.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear proper protective equipment.

Precautions to protect the

environment

Do not allow large quantities to enter drains or surface waters.

Methods for cleaning up : Determine the need to evacuate or isolate the area according to your local emergency

plan. Eliminate all possible sources of ignition.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

7. HANDLING AND STORAGE

Advice on safe handling : General ventilation is required. Local ventilation is required. Do not breathe spray or

mist. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - no smoking. Avoid skin and eye contact. Do not breathe vapour.

Advice on storage : Pressurized container: protect from sunlight and do not expose to temperatures exceeding

50°C. Do not pierce or burn, even after use. Store in a flameproof, well ventilated area.

Specific uses : Refer to technical data sheet available on request.

Unsuitable packaging

materials

None known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls : Ventilation : Refer to Section 7

Exposure controls for hazardous components

Name	CAS-No.	Exposure Limits	
Propan-2-ol	67-63-0	500 ppm STEL 400 ppm TWA 1,250 mg/m3 STEL 999 mg/m3 TWA	
2-Butoxyethanol	111-76-2	25 ppm TWA 50 ppm STEL	
Glycerine	56-81-5	10 mg/m3 TWA	
Nitrogen oxide (N2O)	10024-97-2	100 ppm TWA Fume. 183 mg/m3 TWA Fume.	

Personal protection equipment

Respiratory protection : A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

Suitable respiratory protection should be worn if the product is used in large quantities, confined spaces or in other circumstances where the OEL may be approached or

exceeded.

Depending on the working conditions, wear a respiratory mask with filter(s) AXP or use

a self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

Hand protection : Chemical protective gloves should be worn: Polyvinyl alcohol(PVA). Nitrile rubber.

Silver shield(TM). 4H(TM). Viton(TM). Regarding glove's breakthrough time...,contact

your chemical protective glove supplier.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

Eye protection : Face shield or safety goggles.

Skin protection : Wear impervious overalls in circumstances where significant skin contact can occur.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

Environmental exposure

controls

Refer to section 6 and 12.

Additional information : None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: Aerosol **Colour:** Clear to slightly **Odour:** Very little

hazy, colourless

Important health, safety and environmental information

Boiling point/range : $82 \, ^{\circ}\text{C}$

Flash point : > 61 °C

Autoignition temperature : 300 °C

Explosive properties : No

Specific Gravity : 0.98

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

Stability : Stable under normal usage conditions.

Conditions to avoid : None established.

Materials to avoid : Can react with strong oxidising agents.

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat conditions may evolve

the following decomposition products: Carbon oxides and traces of incompletely burned

carbon compounds. Formaldehyde.

11. TOXICOLOGICAL INFORMATION

On contact with eyes : Irritating.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

On skin contact : Repeated or prolonged contact may cause defatting of the skin, leading to dermatitis.

If inhaled : May cause dizziness, drowsiness, confusion, headaches, nausea, and at high

concentrations, unconsciousness.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Swallowing large amounts may cause digestive discomfort.

Other Health Hazard

Information

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to

eyes and the respiratory system. Exposure limits should be strictly respected.

Based on product test data.

Based on test data from similar products.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

Aqueous dispersion of a solid material which is insoluble in water. No adverse effects are predicted.

Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

Bioaccumulation : No bioaccumulation potential.

Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

Product disposal : Dispose of in accordance with local regulations. According to the European Waste

Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Packaging disposal : Dispose of in accordance with local regulations. Waste codes should be assigned by the

user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

UN No. : UN 1950

Proper Shipping Name : AEROSOLS



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

Class : 2

Labels : 2.1

Sea transport (IMDG)

UN No. : UN 1950

Proper Shipping Name : AEROSOLS

Class : 2.1

Emergency Schedule : F-D

(EmS) S-U

Air transport (IATA)

UN No. : UN 1950

Proper Shipping Name : Aerosols, flammable

Class : 2.1

Labels : Flammable Gas



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2

Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

15. REGULATORY INFORMATION

Labelling according to EEC Directive

Symbols : F Highly flammable.

Xi Irritant.

R-phrases : R11 Highly flammable.

R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

S-phrases : S2 Keep out of the reach of children.

S16 Keep away from sources of ignition - no smoking.

S23(S) Do not breathe spray. S24 Avoid contact with skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S51 Use only in well-ventilated areas.

Other phrases : Do not spray on a naked flame or any incandescent material.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding

50°C. Do not pierce or burn, even after use.

National legislation / regulations

Ozone depleting

chemicals

: No ozone depleting chemicals are present or used in manufacture.

Status

EINECS : All ingredients listed or exempt.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.2 Revision Date: 19.09.2007

MOLYKOTE(R) S-1010 ANTISPATTER SPRAY

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

R8 Contact with combustible material may cause fire., R11 Highly flammable., R20/21/22 Harmful by inhalation, in contact with skin and if swallowed., R25 Toxic if swallowed., R36 Irritating to eyes., R36/38 Irritating to eyes and skin., R50 Very toxic to aquatic organisms., R67 Vapours may cause drowsiness and dizziness.