DOW CORNING

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.6

Revision Date: 19.03.2007

MOLYKOTE(R) M-30 DISPERSION

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

Trade name : MOLYKOTE(R) M-30 DISPERSION

Company : Dow Corning S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

Service : Dow Corning Central Europe Tel: +49 6112371

Fax: +49 611237609

Dow Corning Northern Europe Tel: +44 1676528000

Fax: +44 1676528001 Tel: +33 472841360

Dow Corning Southern Europe Tel: +33 47284136

Fax: +33 472841379 Tel: +44 1446732350

Emergency Phone Number : Dow Corning (Barry U.K. 24h)

Dow Corning (Wiesbaden 24h)

Tel: +49 61122158

Dow Corning (Seneffe 24h)

Tel: +32 64 888240

Use of the : Lubricants and additives

substance/preparation

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixture of inorganic and organic compounds

Hazardous Ingredients:

Name CAS-No. EINECS/ Conc. (% w/w) Classification

ELINCS No.

Molybdenum sulfide 1317-33-5 215-263-9 3.0

3. HAZARDS IDENTIFICATION

Not hazardous according to Council Directive 1999/45/EC and its subsequent amendments.

4. FIRST AID MEASURES

On contact with eyes : No first aid should be needed.

On skin contact : No first aid should be needed.

If inhaled : Remove to fresh air.

On ingestion : No first aid should be needed.

5. FIRE FIGHTING MEASURES



According to EC directive 91/155/EEC and subsequent amendments

Version: 1.6

Revision Date: 19.03.2007

MOLYKOTE(R) M-30 DISPERSION

Suitable extinguishing media : Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool fire

exposed containers.

Unsuitable extinguishing

media

None known.

Hazards during fire fighting :

None known.

Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate

the area according to your local emergency plan.

Hazardous Combustion

Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned

carbon compounds. Formaldehyde. Sulphur products.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear proper protective equipment.

Precautions to protect the

environment

Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or

other appropriate barriers.

Methods for cleaning up : Determine the need to evacuate or isolate the area according to your local emergency

plan. Very large spills should be contained by bunding, etc... procedures. Mop, wipe or soak up with absorbent material and place in a container with a lid. The spilled product

produces an extremely slippery surface.

7. HANDLING AND STORAGE

Advice on safe handling : Avoid eye contact. General ventilation is recommended. Local ventilation is

recommended.

Advice on storage : Do not store with oxidizing agents.

Specific uses : Refer to technical data sheet available on request.

Unsuitable packaging

materials

None known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls : Ventilation : Refer to Section 7

Exposure controls for hazardous components

Name CAS-No. Exposure Limits

2 of 6



According to EC directive 91/155/EEC and subsequent amendments

Version: 1.6

Revision Date: 19.03.2007

MOLYKOTE(R) M-30 DISPERSION

Molybdenum sulfide 1317-33-5 20 mg/m3 STEL as Mo, insoluble compounds

10 mg/m3 STEL as Mo, soluble compounds 10 mg/m3 TWA as Mo, insoluble compounds 5 mg/m3 TWA as Mo, soluble compounds

Personal protection equipment

Respiratory protection: Suitable respiratory protection should be worn if the product is used in large quantities,

confined spaces or in other circumstances where the OEL may be approached or

exceeded.

A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

A filtering half mask is recommended.

Recommended Filter type: BP

The choice of a filter type depends on the amount and type of chemical being handled in

the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

Hand protection : Gloves are not normally required.

Eye protection : Safety glasses should be worn.

Skin protection : Protective equipment is not normally necessary.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

Environmental exposure

controls

Refer to section 6 and 12.

Additional information: These precautions are for room temperature handling. Use at elevated temperature or

aerosol/spray applications may require added precautions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: Viscous Liquid Colour: Black Odour: Very little

Important health, safety and environmental information

Boiling point/range : 210 °C

Flash point : 200 °C (Closed Cup)

Explosive properties : No

Specific Gravity : 1.0

Viscosity : 125 cSt at 25°C.

Oxidizing properties : No

3 of 6



According to EC directive 91/155/EEC and subsequent amendments

Version: 1.6

Revision Date: 19.03.2007

MOLYKOTE(R) M-30 DISPERSION

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

Stability : Stable under normal usage conditions.

Conditions to avoid : None established.

Materials to avoid : Can react with strong oxidising agents.

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned

carbon compounds. Formaldehyde. Sulphur products.

11. TOXICOLOGICAL INFORMATION

On contact with eyes : May cause temporary discomfort.

On skin contact : No adverse effects are normally expected.

If inhaled : No adverse effects are normally expected.

On ingestion : No adverse effects are normally expected.

Other Health Hazard

Information

This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the

current physical form of the product, which is not in a respirable form.

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to

eyes and the respiratory system. Exposure limits should be strictly respected.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

No adverse effects are predicted.

Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

Bioaccumulation : Low potential to bioaccumulate.

Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

Based on product test data.

² Based on test data from similar products.



According to EC directive 91/155/EEC and subsequent amendments

Version: 1.6

Revision Date: 19.03.2007

MOLYKOTE(R) M-30 DISPERSION

13. DISPOSAL CONSIDERATIONS

Product disposal : Dispose of in accordance with local regulations. According to the European Waste

Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Packaging disposal : Dispose of in accordance with local regulations. Waste codes should be assigned by the

user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

Not subject to ADR/RID.

Sea transport (IMDG)

Not subject to IMDG code.

Air transport (IATA)

Not subject to IATA regulations.

15. REGULATORY INFORMATION

Labelling according to EEC Directive

S-phrases : S51 Use only in well-ventilated areas.

National legislation / regulations

Ozone depleting

chemicals

: No ozone depleting chemicals are present or used in manufacture.

Status

EINECS : All ingredients listed or exempt.



According to EC directive 91/155/EEC and subsequent amendments

Version: 1.6

Revision Date: 19.03.2007

MOLYKOTE(R) M-30 DISPERSION

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with Commission Directive 91/155/EEC, 67/548/EEC and 1999/45/EC as well as their relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Commission Directive 1999/45/EC.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.