# DOW CORNING

#### PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 2.9

Revision Date: 15.01.2007

## **MOLYKOTE(R) 55 O-RING GREASE**

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

Trade name : MOLYKOTE(R) 55 O-RING GREASE

Company : Dow Corning S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

Service : Dow Corning Central Europe Tel: +49 6112371

Fax: +49 611237609

Dow Corning Northern Europe Tel: +44 1676528000

Fax: +44 1676528001

Dow Corning Southern Europe Tel: +33 472841360

Fax: +33 472841379 Tel: +44 1446732350

**Emergency Phone Number** : Dow Corning (Barry U.K. 24h)

Dow Corning (Wiesbaden 24h)

Tel: +49 61122158

Dow Corning (Seneffe 24h)

Tel: +32 64 888240

**Use of the** : Lubricants and additives

substance/preparation

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Chemical characterization:** Silicone grease.

**Hazardous Ingredients:** 

Name CAS-No. EINECS/ Conc. (% w/w) Classification

ELINCS No.

No hazardous ingredients.

#### 3. HAZARDS IDENTIFICATION

Not hazardous according to Council Directive 1999/45/EC and its subsequent amendments.

## 4. FIRST AID MEASURES

On contact with eyes : Flush with water.

On skin contact : Flush with water. Wipe off.

**If inhaled** : Remove to fresh air.

On ingestion : No first aid should be needed.

## 5. FIRE FIGHTING MEASURES



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.9

Revision Date: 15.01.2007

## **MOLYKOTE(R) 55 O-RING GREASE**

Suitable extinguishing media : Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool fire

exposed containers.

**Unsuitable extinguishing** 

media

None known.

**Hazards during fire fighting**: None known.

Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate

the area according to your local emergency plan.

**Hazardous Combustion** 

**Products** 

Silica. Carbon oxides and traces of incompletely burned carbon compounds.

Formaldehyde.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Wear proper protective equipment.

Precautions to protect the

environment

Do not allow large quantities to enter drains or surface waters.

**Methods for cleaning up** : Scrape up and place in a container fitted with a lid. The spilled product produces an

extremely slippery surface.

#### 7. HANDLING AND STORAGE

**Advice on safe handling** : General ventilation is recommended. Avoid skin and eye contact.

Advice on storage : Do not store with oxidizing agents. Keep container closed and store away from water or

moisture.

**Specific uses** : Refer to technical data sheet available on request.

Unsuitable packaging

materials

None known.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls** : Ventilation : Refer to Section 7

**Exposure controls for hazardous components** 

Name CAS-No. Exposure Limits

None of the components have assigned exposure limits.

### Personal protection equipment

2 of 6



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.9

Revision Date: 15.01.2007

## **MOLYKOTE(R) 55 O-RING GREASE**

**Respiratory protection** : This product cannot normally be inhaled.

Hand protection : Chemical protective gloves or gauntlets should be worn and removed correctly to avoid

skin contamination: Silver shield(TM). 4H(TM). Regarding glove's breakthrough

time...,contact your chemical protective glove supplier.

**Eye protection** : Safety goggles should be worn.

**Skin protection**: Wear impervious overalls in circumstances where significant skin contact can occur.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking. Remove contaminated clothing immediately.

**Environmental exposure** 

controls

Refer to section 6 and 12.

**Additional information**: These precautions are for room temperature handling. Use at elevated temperature or

aerosol/spray applications may require added precautions.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Form: Grease Colour: White Odour: Slight

Important health, safety and environmental information

Flash point : > 101.1 °C (Closed Cup)

**Explosive properties** : No

**Specific Gravity** : 1.1

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

#### 10. STABILITY AND REACTIVITY

**Stability** : Stable under normal usage conditions.

**Conditions to avoid** : None established.

**Materials to avoid** : Can react with strong oxidising agents.

Hazardous decomposition

products

See section 11. If this product is heated to > 150 degrees C, trace quantities of

formaldehyde may be released, and adequate ventilation is required.

#### 11. TOXICOLOGICAL INFORMATION

**On contact with eyes** : Slightly irritating.

3 of 6



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.9

Revision Date: 15.01.2007

## **MOLYKOTE(R) 55 O-RING GREASE**

On skin contact : May produce an allergic reaction. Can irritate on prolonged or repeated contact.

**If inhaled** : No adverse effects are normally expected.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Swallowing large amounts may cause digestive discomfort.

Other Health Hazard

Information

This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the

current physical form of the product, which is not in a respirable form.

Based on product test data.

<sup>2</sup> Based on test data from similar products.

#### 12. ECOLOGICAL INFORMATION

#### **Environmental fate and distribution**

Solid material, insoluble in water. No adverse effects are predicted.

#### **Ecotoxicity effects**

No adverse effects on aquatic organisms are predicted.

**Bioaccumulation** : No bioaccumulation potential.

#### Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

#### 13. DISPOSAL CONSIDERATIONS

**Product disposal** : Dispose of in accordance with local regulations. According to the European Waste

Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Packaging disposal : Dispose of in accordance with local regulations. Waste codes should be assigned by the

user, preferably in discussion with the waste disposal authorities.

#### 14. TRANSPORT INFORMATION

#### Road / Rail (ADR/RID)

Not subject to ADR/RID.

#### Sea transport (IMDG)

Not subject to IMDG code.

#### Air transport (IATA)

4 of 6



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.9

Revision Date: 15.01.2007

## **MOLYKOTE(R) 55 O-RING GREASE**

Not subject to IATA regulations.

#### 15. REGULATORY INFORMATION

#### **Labelling according to EEC Directive**

**S-phrases** : S24/25 Avoid contact with skin and eyes.

S51 Use only in well-ventilated areas.

Other phrases : Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.

#### National legislation / regulations

**Ozone depleting** 

chemicals

: No ozone depleting chemicals are present or used in manufacture.

**Status** 

**AICS** : All ingredients listed, exempt or notified.

**IECSC** : All ingredients listed or exempt.

**EINECS** : All ingredients listed, exempt or notified (ELINCS).

**KECL** : All ingredients listed, exempt or notified.

PICCS : All ingredients listed, exempt or notified.

TSCA : All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.

**DSL** : All ingredients listed or exempt.

MITI : All ingredients listed, exempt or notified.



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.9

Revision Date: 15.01.2007

## **MOLYKOTE(R) 55 O-RING GREASE**

#### 16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with Commission Directive 91/155/EEC, 67/548/EEC and 1999/45/EC as well as their relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Commission Directive 1999/45/EC.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.