DOW CORNING

## SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

# **MOLYKOTE(R) LONGTERM 2 PLUS**

1. ID	1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY				
1.1	Product name	:	MOLYKOTE(R) LONGTERM 2 PLUS		
1.2	Identified uses	:	Lubricants and additives		
	Uses advised against	:	None known.		
1.3	Company	:	<ul> <li>Dow Corning Europe S.A.</li> <li>rue Jules Bordet - Parc Industriel - Zone C</li> <li>B-7180 Seneffe</li> <li>Belgium</li> </ul>		
	E-mail address (Safety Data Sheet)	:	sdseu@dowcorning.com		
	Customer Service	:	English Deutsch Français Italiano Español	Tel: +49 611237507 Tel: +49 611237500 Tel: +32 64511149 Tel: +32 64511170 Tel: +32 64511163	
1.4	Emergency Phone Number	:	Dow Corning (Barry U.K. 24h) Dow Corning (Wiesbaden 24h) Dow Corning (Seneffe 24h)	Fax: +32 64888683 Tel: +44 1446732350 Tel: +49 61122158 Tel: +32 64 888240	

#### 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to EU Directives 67/548/EEC or 1999/45/EC:

Not hazardous.

2.2 Label elements

Labelling according to EEC Directive

S-phrases

: S24/25 Avoid contact with skin and eyes. S51 Use only in well-ventilated areas.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

## **MOLYKOTE(R) LONGTERM 2 PLUS**

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Molybdenum disulfide grease

### According to EU Directives 67/548/EEC or 1999/45/EC:

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	54.0	Substance with a Community workplace exposure limit
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	-	24.0	Substance with a Community workplace exposure limit
According to Regulation (EC) No. 1272/2008:					

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	54.0	Substance with a Community workplace exposure limit
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	-	24.0	Substance with a Community workplace exposure limit

CLP classifications are based on all current available data including from known international organizations. These classifications are subject to revision as more information becomes available.

### 4. FIRST AID MEASURES

#### 4.1 Description of First Aid Measures:

On contact with eyes	:	Flush with water.
On skin contact	:	Flush with water.
If inhaled	:	No first aid should be needed.
On ingestion	:	Do not induce vomiting. Obtain medical attention.

### **5. FIRE-FIGHTING MEASURES**

5.1 Suitable extinguishing media	:	On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.
Unsuitable extinguishing	:	None known.
		2 of 7



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

# **MOLYKOTE(R) LONGTERM 2 PLUS**

	media		
5.2	Hazards during fire fighting	:	None known.
	Hazardous Combustion Products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Traces of fluorinated products. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Sulphur products.
5.3	Special protective equipment/procedures	:	A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

6. A(	5. ACCIDENTAL RELEASE MEASURES			
6.1	Personal precautions, protective equipment and emergency procedures	:	Wear proper protective equipment.	
6.2	Environmental precautions	:	Do not allow large quantities to enter drains or surface waters.	
6.3	Methods and materials for containment and cleaning up	:	Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.	

7. HANDLING AND STORAGE			
7.1 Advice on safe handling	:	General ventilation is recommended. Avoid skin and eye contact. Do not empty into drains. Do not breathe spray or mist.	
7.2 Advice on storage	:	Do not store with oxidizing agents. Storage temperature: minimum 0 °C, maximum 40 °C	
7.3 Specific uses	:	Refer to technical data sheet available on request.	

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Name	CAS-No.	Exposure Limits
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
		2 - f 7

## DOW CORNING

## SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

# **MOLYKOTE(R) LONGTERM 2 PLUS**

8.2 Exposure controls		
Engineering Controls	:	Ventilation : Refer to Section 7.1
Personal protection equipr	<u>nent</u>	
Respiratory protection	:	A suitable respirator must be worn if the product is used in any circumstances where an aerosol or mist may be generated, such as during spraying or similar activities. Depending on the working conditions, wear a respiratory mask with filter(s) P or use a self-contained respirator. The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection supplier.
Hand protection	:	Chemical protective gloves should be worn where repeated or prolonged contact can occur: Silver shield(TM). Viton(TM). 4H(TM). Regarding glove's breakthrough time, contact your chemical protective glove supplier.
Eye/face protection	:	Safety goggles should be worn.
Skin protection	:	Wear impervious overalls in circumstances where significant skin contact can occur.
Hygiene measures	:	Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.
Additional information	:	These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.
<u>Environmental exposure</u> <u>controls</u>	:	Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES			
Form	:	Grease	
Colour	:	Black	
Odour	:	Slight	
Explosive properties	:	No	
Specific Gravity	:	0.9	
Oxidizing properties	:	No	
The above information is not inter	nded for us	se in preparing product specifications. Contact Dow Corning before writing specifications.	

### **10. STABILITY AND REACTIVITY**

10.1 Reactivity

: None known.

## DOW CORNING

## SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

# **MOLYKOTE(R) LONGTERM 2 PLUS**

10.2 Stability	:	Stable under normal usage conditions.
10.3 Possibility of hazardo reactions	ous :	None known.
10.4 Conditions to avoid	:	None established.
10.5 Materials to avoid	:	Can react with strong oxidising agents.
10.6 Hazardous decompos products	ition :	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Traces of fluorinated products. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Sulphur products.

11. TOXICOLOGICAL INFORMATION			
Acute toxicity:			
On contact with eyes	:	Slightly irritating.	
On skin contact	:	Slightly irritating.	
If inhaled	:	No adverse effects are normally expected.	
On ingestion	:	Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung oedema or pneumonia. May cause slight mucous membranes irritation.	
Chronic toxicity:			
On skin contact	:	Can irritate on prolonged or repeated skin contact.	
If inhaled	:	No adverse effects are normally expected.	
On ingestion	:	Repeated swallowing may cause gastrointestinal irritation and disturbance.	
<u>Toxicokinetics, metabolism</u> and distribution	:	No specific information is available.	
<u>Other Health Hazard</u> <u>Information</u>	:	This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the current physical form of the product, which is not in a respirable form.	
<sup>1</sup> Based on product test data.			

<sup>2</sup> Based on test data from similar products.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

# **MOLYKOTE(R) LONGTERM 2 PLUS**

### **12. ECOLOGICAL INFORMATION**

#### 12.1 Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

#### 12.2 Persistence and degradability

Solid material, insoluble in water. No adverse effects are predicted.

#### 12.3 Bioaccumulation

No bioaccumulation potential.

#### 12.4 Release to waters / Mobility in soil

#### Fate and effects in waste water treatment plants:

No adverse effects on bacteria are predicted.

#### 12.5 Results of PBT and vPvB assessment

Not applicable.

#### **13. DISPOSAL CONSIDERATIONS**

Product and packaging : disposal

Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

### **14. TRANSPORT INFORMATION**

#### Road / Rail (ADR/RID)

Not subject to ADR/RID.

### Sea transport (IMDG)

Not subject to IMDG code.

#### Air transport (IATA)

Not subject to IATA regulations.

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 03.11.2010 Superseded date: 27.06.2007

## MOLYKOTE(R) LONGTERM 2 PLUS

### **15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
<u>Status</u>			
EINECS	: All ingredients listed, exempt or notified (ELINCS).		
TSCA	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.		
KECL	: All ingredients listed, exempt or notified.		
DSL	: Consult your local Dow Corning office.		
AICS	: Consult your local Dow Corning office.		
IECSC	: Consult your local Dow Corning office.		

### **16. OTHER INFORMATION**

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information