PRODUCT SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.5 Revision Date: 06.04.2009

MOLYKOTE(R) L-0460FG CHAIN OIL

1. IDENTIFICATION OF THE	SUI	STANCE/PREPARATION AND	OF THE COMPANY
Trade name	:	MOLYKOTE(R) L-0460FG CHAI	N OIL
Company	:	Dow Corning Europe S.A. rue Jules Bordet - Parc Industriel - 2 B-7180 Seneffe Belgium	Zone C
Service	:	Dow Corning Central Europe	Tel: +49 6112371 Fax: +49 611237609
		Dow Corning Northern Europe	Tel: +44 1676528000 Fax: +44 1676528001
		Dow Corning Southern Europe	Tel: +33 472841360 Fax: +33 472841379
Emergency Phone Number	:	Dow Corning (Barry U.K. 24h)	Tel: +44 1446732350
		Dow Corning (Wiesbaden 24h)	Tel: +49 61122158
		Dow Corning (Seneffe 24h)	Tel: +32 64 888240
E-mail address (Safety Data Sheet)	:	sdseu@dowcorning.com	
Use of the substance/preparation	:	Lubricants and additives	

2. HAZARDS IDENTIFICATION

Not hazardous according to article 31 and Annex II of the EU REACH Regulation and its subsequent amendments.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Inorganic and organic compounds in mineral oil

Hazardous Ingredients:

Name	CAS-No.	EINECS/ ELINCS No.	Conc. (% w/w)	Classification
White mineral oil (petroleum)	8042-47-5	232-455-8	98.0	

4. FIRST AID MEASURES		
On contact with eyes	:	No first aid should be needed.
On skin contact	:	No first aid should be needed.
If inhaled	:	Remove to fresh air.
On ingestion	:	No first aid should be needed.

PRODUCT SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.5 Revision Date: 06.04.2009

MOLYKOTE(R) L-0460FG CHAIN OIL

5. FIRE-FIGHTING MEASUR	ES	
Suitable extinguishing media	:	On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.
Unsuitable extinguishing media	:	None known.
Hazards during fire fighting	:	None known.
Special protective equipment/procedures	:	A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
Hazardous Combustion Products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

6. ACCIDENTAL RELEASE N	/IEA	SURES
Personal precautions	:	Wear proper protective equipment.
Environmental precautions	:	Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers. Do not empty into drains.
Methods for cleaning up	:	Determine the need to evacuate or isolate the area according to your local emergency plan. Very large spills should be contained by bunding, etc procedures. Mop, wipe or soak up with absorbent material and place in a container with a lid. The spilled product produces an extremely slippery surface.

Advice on safe handling	:	General ventilation is recommended. Avoid eye contact. Do not breathe spray or mist.
Advice on storage	:	Do not store with oxidizing agents.
Specific uses	:	Refer to technical data sheet available on request.
Unsuitable packaging materials	:	None known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

: Ventilation : Refer to Section 7

PRODUCT SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.5 Revision Date: 06.04.2009

MOLYKOTE(R) L-0460FG CHAIN OIL

Exposure controls for hazard	ous components	
Exposure controls for hazard	ous components	
Name	CAS-No.	Exposure Limits
White mineral oil (petroleum)	8042-47-5	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Personal protection equipmen	<u>nt</u>	
Respiratory protection	aerosol or m Depending o self-containe The choice o	espirator must be worn if the product is used in any circumstances where an ist may be generated, such as during spraying or similar activities. on the working conditions, wear a respiratory mask with filter(s) P or use a ed respirator. of a filter type depends on the amount and type of chemical being handled in e. Regarding filter characteristics, contact your respiratory protection
Hand protection	: Gloves are n	ot normally required.
Eye protection	: Safety glasse	es should be worn.
Skin protection	: Protective ed	quipment is not normally necessary.
Hygiene measures	: Exercise goo drinking or s	od industrial hygiene practice. Wash after handling, especially before eating, smoking.
Environmental exposure controls	: Refer to sect	ion 6 and 12.
Additional information	aerosol/spray regarding the to the guidar aerosol appli	ations are for room temperature handling. Use at elevated temperature or y applications may require added precautions. For further information e use of silicones / organic oils in consumer aerosol applications, please refer ace document regarding the use of these types of materials in consumer fications that has been developed by the silicone industry (www.SEHSC.com) e Dow Corning customer service group.

9. PHYSICA	AL AND CHEM	ICAL F	PROPERTIES			
<u>Appeara</u>	nce					
Form:	Liquid		Colour:	Colorless	Odour:	None
<u>Importan</u>	nt health, safety a	nd env	ironmental inf	formation		
Boiling p	oint/range	:	> 35 °C			
Flash poi	nt	:	240 °C (Clos	sed Cup)		
Explosive	e properties	:	No			
Specific (Gravity	:	0.86			

10 STABILITY AND REACTIVITY

PRODUCT SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.5 Revision Date: 06.04.2009

MOLYKOTE(R) L-0460FG CHAIN OIL

Viscosity	:	:	66 mm2/s at 25°C.	
Oxidizing properties	:	:	No	
The above information is not inten-	ded for	r us	e in preparing product specifications. Contact Dow Corning before writing specifications.	

10. STADILITT AND KEACT	1 1 1 1	1
Stability	:	Stable under normal usage conditions.
Conditions to avoid	:	None established.
Materials to avoid	:	Can react with strong oxidising agents.
Hazardous decomposition products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

On contact with eyes	:	May cause temporary discomfort.
On skin contact	:	No adverse effects are normally expected.
If inhaled	:	No adverse effects are normally expected.
On ingestion	:	No adverse effects are normally expected.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

The organic components contained in the product are biodegradable, however they are not classified as readily biodegradable. Organic solvents may evaporate into the atmosphere, where they degrade.

Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

Bioaccumulation : No specific information is available.

Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

PRODUCT SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.5 Revision Date: 06.04.2009

MOLYKOTE(R) L-0460FG CHAIN OIL

Product disposal	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste code should be assigned by the user, preferably in discussion with the waste disposal authorities.	les
Packaging disposal	: Dispose of in accordance with local regulations. Waste codes should be assigned by user, preferably in discussion with the waste disposal authorities.	the

14. TRANSPORT INFORMATION		
<u>Road / Rail (ADR/RID)</u>		
Not subject to ADR/RID.		
<u>Sea transport (IMDG)</u>		
Not subject to IMDG code.		
<u>Air transport (IATA)</u>		
Not subject to IATA regulations.		

5. REGULATORY IN	FORMATION
Labelling according	to EEC Directive
S-phrases	: S23(S) Do not breathe spray. S51 Use only in well-ventilated areas.
National legislation /	regulations
Ozone depleting chemicals	: No ozone depleting chemicals are present or used in manufacture.
<u>Status</u>	
EINECS	: All ingredients listed or exempt.
TSCA	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

PRODUCT SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.5 Revision Date: 06.04.2009

MOLYKOTE(R) L-0460FG CHAIN OIL

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.