

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8 Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Trade name : MOLYKOTE(R) SEPARATOR SPRAY

Company : Dow Corning Europe S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

Service : Dow Corning Central Europe Tel: +49 6112371

Fax: +49 611237609

Dow Corning Northern Europe Tel: +44 1676528000

Fax: +44 1676528001 Tel: +33 472841360 Fax: +33 472841379

Emergency Phone Number : Dow Corning (Barry U.K. 24h)

Tel: +44 1446732350 Tel: +49 61122158

Dow Corning (Wiesbaden 24h)

Te

Dow Corning Southern Europe

Dow Corning (Seneffe 24h) Tel: +32 64 888240

E-mail address (Safety Data

Sheet)

sdseu@dowcorning.com

Use of the : Anti-set-off and anti-adhesive agents

substance/preparation

2. HAZARDS IDENTIFICATION

The principal hazards of the product as supplied are:

Extremely flammable.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Silicone

Hazardous Ingredients:

Name CAS-No. EINECS/ Conc. (% w/w) Classification

ELINCS No.

Butane 106-97-8 203-448-7 75.0 F+ R12

4. FIRST AID MEASURES

On contact with eyes : Flush with water.

On skin contact : Flush with water.

If inhaled : Remove to fresh air.

On ingestion : No first aid should be needed.

1 of 7



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8

Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: On large fires use dry chemical, foam or water spray (fog). On small fires use carbon

dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed

containers.

Unsuitable extinguishing

media

None known.

Hazards during fire fighting: Pressurised container capable of exploding if heated.

Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to

keep fire exposed containers cool.

Hazardous Combustion

Products

Thermal breakdown of this product during fire or very high heat conditions may evolve

the following decomposition products: Silica. Carbon oxides and traces of incompletely

burned carbon compounds. Formaldehyde.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear proper protective equipment.

Environmental precautions: Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or

other appropriate barriers.

Methods for cleaning up : Determine the need to evacuate or isolate the area according to your local emergency

plan. Eliminate all possible sources of ignition.

7. HANDLING AND STORAGE

Advice on safe handling : General ventilation is required. Local ventilation is required. Avoid eye contact. Do not

breathe spray or mist. Do not spray on a naked flame or any incandescent material. Keep

away from sources of ignition - no smoking.

Advice on storage : Pressurized container: protect from sunlight and do not expose to temperatures exceeding

50°C. Do not pierce or burn, even after use. Store in a flameproof, well ventilated area.

Specific uses : Refer to technical data sheet available on request.

Unsuitable packaging

materials

: None known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8 Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

Engineering Controls : Ventilation : Refer to Section 7

Exposure controls for hazardous components

Name CAS-No. Exposure Limits

Butane 106-97-8 750 ppm STEL

600 ppm TWA 1,810 mg/m3 STEL 1,450 mg/m3 TWA

Personal protection equipment

Respiratory protection : A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

Suitable respiratory protection should be worn if the product is used in large quantities, confined spaces or in other circumstances where the OEL may be approached or

exceeded.

Depending on the working conditions, wear a respiratory mask with filter(s) AXP or use

a self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in

the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

Hand protection : Gloves are not normally required.

Eye protection : Safety glasses should be worn.

Skin protection : Protective equipment is not normally necessary.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

Environmental exposure

controls

Refer to section 6 and 12.

Additional information : For further information regarding the use of silicones / organic oils in consumer aerosol

applications, please refer to the guidance document regarding the use of these types of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact the Dow Corning customer service group.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: Aerosol Color: Colorless Odour: None

Important health, safety and environmental information

Specific Gravity : 0.59

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8

Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

10. STABILITY AND REACTIVITY

Stability : Stable under normal usage conditions.

Conditions to avoid : None established.

Materials to avoid : Can react with strong oxidising agents.

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica Corbon oxides and traces of incompletely

the following decomposition products: Silica. Carbon oxides and traces of incompletely

burned carbon compounds. Formaldehyde.

11. TOXICOLOGICAL INFORMATION

On contact with eyes : Slightly irritating.

On skin contact : Repeated or prolonged contact may cause defatting of the skin, leading to dermatitis.

If inhaled : May cause dizziness, drowsiness, confusion, headaches, nausea, and at high

concentrations, unconsciousness.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Swallowing large amounts may cause digestive discomfort.

Other Health Hazard

Information

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of

air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to eyes and the respiratory system. Exposure limits should be strictly respected.

Based on product test data.

Based on test data from similar products.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded.

Ecotoxicity effects

No adverse effects on aquatic organisms.

Bioaccumulation : No bioaccumulation potential.

Fate and effects in waste water treatment plants

Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD.

Additional environmental information



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8 Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

Additional environmental information on the silicone component is available on request.

13. DISPOSAL CONSIDERATIONS

Product disposal: Dispose of in accordance with local regulations. According to the European Waste

Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Packaging disposal : Dispose of in accordance with local regulations. Waste codes should be assigned by the

user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

UN No. : UN 1950

Proper Shipping Name : AEROSOLS

Class : 2

Labels : 2.1

Sea transport (IMDG)

UN No. : UN 1950

Proper Shipping Name : AEROSOLS

Class : 2.1

Emergency Schedule : F-D

(EmS) S-U

Air transport (IATA)

UN No. : UN 1950

Proper Shipping Name : Aerosols, flammable

Class : 2.1

Labels : Flammable Gas

: Apply Gross Wt Supplemental Label to Outer Package if shipping Limited Quantity



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8 Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

15. REGULATORY INFORMATION

Labelling according to EEC Directive

Symbols : F+ Extremely flammable.

R-phrases : R12 Extremely flammable.

S-phrases : S2 Keep out of the reach of children.

S16 Keep away from sources of ignition - no smoking.

S23(S) Do not breathe spray.

S51 Use only in well-ventilated areas.

Other phrases : Do not spray on a naked flame or any incandescent material.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding

50°C. Do not pierce or burn, even after use.

National legislation / regulations

Ozone depleting

chemicals

: No ozone depleting chemicals are present or used in manufacture.

Status

TSCA : All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.

EINECS : All ingredients listed or exempt.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.8 Revision Date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

R12 Extremely flammable.,