

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.10 Revision Date: 26.04.2010

MOLYKOTE(R) G-N PLUS PASTE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Trade name : MOLYKOTE(R) G-N PLUS PASTE

Company : Dow Corning Europe S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

Service : Dow Corning (Wiesbaden) Tel: +49 611237507

Fax: +49 611237601

Dow Corning (Seneffe) Tel: +32 64511156

Fax: +32 64888683

Emergency Phone Number : Dow Corning (Barry U.K. 24h)

Tel: +44 1446732350 Tel: +49 61122158

Dow Corning (Wiesbaden 24h)

Tel: +49 61122158

Dow Corning (Seneffe 24h)

Tel: +32 64 888240

E-mail address (Safety Data

Sheet)

sdseu@dowcorning.com

Use of the : Lubricants and additives

substance/preparation

2. HAZARDS IDENTIFICATION

Not hazardous according to article 31 and Annex II of the EU REACH Regulation and its subsequent amendments. This information is based on product test data.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Inorganic and organic compounds in mineral oil

Hazardous Ingredients:

Name CAS-No. EINECS/ Conc. (% w/w) Classification

ELINCS No.

White mineral oil (petroleum) 8042-47-5 232-455-8 41.0

Calcium dihydroxide 1305-62-0 215-137-3 26.0 Xi R38

R41

4. FIRST AID MEASURES

On contact with eyes : Flush with water.

On skin contact : Flush with water.

If inhaled : Remove to fresh air.

On ingestion : No first aid should be needed.

1 of 6



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.10 Revision Date: 26.04.2010

MOLYKOTE(R) G-N PLUS PASTE

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : On large fires use dry chemical, foam or water spray (fog). On small fires use carbon

dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed

containers.

Unsuitable extinguishing

media

None known.

Hazards during fire fighting : None known.

Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to

keep fire exposed containers cool.

Hazardous Combustion

Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely

burned carbon compounds. Formaldehyde. Sulphur products. Phosphorus products.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear proper protective equipment.

Environmental precautions Do not allow large quantities to enter drains or surface waters.

Methods for cleaning up Scrape up and place in a container fitted with a lid. The spilled product produces an

extremely slippery surface.

7. HANDLING AND STORAGE

Advice on safe handling General ventilation is recommended. Local ventilation is recommended. Avoid skin and

eye contact. Do not breathe spray or mist.

Do not store with oxidizing agents. Advice on storage

Specific uses Refer to technical data sheet available on request.

Unsuitable packaging

materials

None known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls Ventilation: Refer to Section 7

Exposure controls for hazardous components

2 of 6



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.10 Revision Date: 26.04.2010

MOLYKOTE(R) G-N PLUS PASTE

Name CAS-No. Exposure Limits

White mineral oil (petroleum) 8042-47-5 10 mg/m3 STEL Oil Mist, mineral

5 mg/m3 TWA Oil Mist,mineral

Personal protection equipment

Respiratory protection: A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

Depending on the working conditions, wear a respiratory mask with filter(s) P or use a

self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in

the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

Hand protection : Chemical protective gloves should be worn: Silver shield(TM). 4H(TM). Viton(TM).

Regarding glove's breakthrough time, contact your chemical protective glove supplier.

Eye protection : Safety goggles should be worn.

Skin protection : Wear impervious overalls in circumstances where significant skin contact can occur.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

Environmental exposure

controls

Refer to section 6 and 12.

Additional information: These precautions are for room temperature handling. Use at elevated temperature or

aerosol/spray applications may require added precautions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: Paste Colour: Gray Odour: None

Important health, safety and environmental information

Flash point : > 200 °C (Closed Cup)

Explosive properties : No

Specific Gravity : 1.35

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.10 Revision Date: 26.04.2010

MOLYKOTE(R) G-N PLUS PASTE

Stability : Stable under normal usage conditions.

Conditions to avoid : None established.

Materials to avoid : Can react with strong oxidising agents.

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely

burned carbon compounds. Formaldehyde. Sulphur products. Phosphorus products.

11. TOXICOLOGICAL INFORMATION

On contact with eyes ¹ : Slightly irritating.

On skin contact 1 : Slightly irritating.

If inhaled : No adverse effects are normally expected.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Swallowing large amounts may cause digestive discomfort.

Other Health Hazard

Information

This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the

current physical form of the product, which is not in a respirable form.

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to

eyes and the respiratory system. Exposure limits should be strictly respected.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

Solid material, insoluble in water. No adverse effects are predicted.

Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

Bioaccumulation : No bioaccumulation potential.

Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

Based on product test data.

² Based on test data from similar products.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.10 Revision Date: 26.04.2010

MOLYKOTE(R) G-N PLUS PASTE

Product disposal : Dispose of in accordance with local regulations. According to the European Waste

Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Packaging disposal : Dispose of in accordance with local regulations. Waste codes should be assigned by the

user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

Not subject to ADR/RID.

Sea transport (IMDG)

Not subject to IMDG code.

Air transport (IATA)

Not subject to IATA regulations.

15. REGULATORY INFORMATION

Labelling according to EEC Directive

S-phrases : S24/25 Avoid contact with skin and eyes.

S51 Use only in well-ventilated areas.

This information is based on product test data.

National legislation / regulations

Ozone depleting

chemicals

: No ozone depleting chemicals are present or used in manufacture.

Status

EINECS : All ingredients listed or exempt.

TSCA : All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.10 Revision Date: 26.04.2010

MOLYKOTE(R) G-N PLUS PASTE

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

R38 Irritating to skin., R41 Risk of serious damage to eyes.