

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8

Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

**Trade name** : MOLYKOTE(R) P-40 PASTE

**Company** : Dow Corning S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

Service : Dow Corning Central Europe Tel: +49 6112371

Dow Corning (Wiesbaden 24h)

Dow Corning (Seneffe 24h)

Fax: +49 611237609

Dow Corning Northern Europe Tel: +44 1676528000

Fax: +44 1676528001 Dow Corning Southern Europe Tel: +33 472841360

Tel: +33 472841360 Fax: +33 472841379

**Emergency Phone Number** : Dow Corning (Barry U.K. 24h)

Tel: +44 1446732350 Tel: +49 61122158 Tel: +32 64 888240

E-mail address (Safety Data : sdseu@dowcorning.com

Sheet)

**Use of the** : Lubricants and additives

substance/preparation

### 2. HAZARDS IDENTIFICATION

### The principal hazards of the product as supplied are:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Inorganic and organic compounds in mineral oil

## **Hazardous Ingredients:**

o .					
Name	CAS-No.	EINECS/ ELINCS No.	Conc. (% w/w)	Classification	
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0	47.0		
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	Exempt or not available	17.0		
Polybutene	9003-29-6	Exempt or not available	4.0		
2-Heptadecenyl-4,4-(5H)-oxa zoledimethanol	28984-69-2	249-355-5	2.7		R52/53
Zinc oxide	1314-13-2	215-222-5	1.4	N	R50/53
	1314-13-2	215-222-5	1.4	N	R50/53



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8

Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

4. FIRST AID MEASURES

**On contact with eyes** : Flush with water.

**On skin contact** : Flush with water.

If inhaled : No first aid should be needed.

On ingestion : No first aid should be needed.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool fire

exposed containers.

Unsuitable extinguishing

media

None known.

**Hazards during fire fighting**: None known.

Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate

the area according to your local emergency plan.

**Hazardous Combustion** 

**Products** 

Thermal breakdown of this product during fire or very high heat conditions may evolve

the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Phosphorus products. Nitrogen products. Traces of

fluorinated products.

6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Wear proper protective equipment.

Precautions to protect the

environment

Do not allow large quantities to enter drains or surface waters.

Methods for cleaning up : Scrape up and place in a container fitted with a lid. The spilled product produces an

extremely slippery surface.

7. HANDLING AND STORAGE

Advice on safe handling : General ventilation is recommended. Local ventilation is recommended. Avoid skin and

eye contact.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8

Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

**Advice on storage** : Do not store with oxidizing agents. Keep container closed and store away from water or

moisture.

**Specific uses** : Refer to technical data sheet available on request.

Unsuitable packaging

materials

: None known.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls** : Ventilation : Refer to Section 7

### **Exposure controls for hazardous components**

Name	CAS-No.	Exposure Limits
Residual oils (petroleum), solvent-dewaxed	64742-62-7	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Polybutene	9003-29-6	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Zinc oxide	1314-13-2	10 mg/m3 STEL Fume. 5 mg/m3 TWA Fume.

### Personal protection equipment

**Respiratory protection**: Suitable respiratory protection should be worn if the product is used in large quantities,

confined spaces or in other circumstances where the OEL may be approached or

exceeded.

A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

Depending on the working conditions, wear a respiratory mask with filter(s) BP or use a

self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in

the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

**Hand protection** : Chemical protective gloves should be worn where repeated or prolonged contact can

occur: Polyvinyl alcohol(PVA). Silver shield(TM). 4H(TM). Nitrile rubber. Regarding

glove's breakthrough time...,contact your chemical protective glove supplier.

**Eye protection** : Safety goggles should be worn.

**Skin protection** : Protective equipment is not normally necessary.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8

Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

**Environmental exposure** 

controls

Refer to section 6 and 12.

Additional information

These precautions are for room temperature handling. Use at elevated temperature or

aerosol/spray applications may require added precautions.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Form: Paste Colour: Light brown. Odour: Slight

Important health, safety and environmental information

**Explosive properties** : No

Specific Gravity : 1.0

**Water solubility** : 0 g/l at 25°C.

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

## 10. STABILITY AND REACTIVITY

**Stability** : Stable under normal usage conditions.

**Conditions to avoid** : None established.

Materials to avoid : Can react with strong oxidising agents.

**Hazardous decomposition** 

products

Thermal breakdown of this product during fire or very high heat conditions may evolve

the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Phosphorus products. Nitrogen products. Traces of

fluorinated products.

### 11. TOXICOLOGICAL INFORMATION

On contact with eyes : Slightly irritating.

On skin contact : Repeated or prolonged contact may cause defatting of the skin, leading to dermatitis.

**If inhaled** : No adverse effects are normally expected.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Swallowing large amounts may cause digestive discomfort.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8

Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

# Other Health Hazard Information

: This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the current physical form of the product, which is not in a respirable form.

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to eyes and the respiratory system. Exposure limits should be strictly respected.

Based on product test data.

<sup>2</sup> Based on test data from similar products.

### 12. ECOLOGICAL INFORMATION

### **Environmental fate and distribution**

Solid material, insoluble in water.

### **Ecotoxicity effects**

Harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment. However, due to the physical form and water-insolubility of the product the bioavailability is negligible.

### Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

### 13. DISPOSAL CONSIDERATIONS

**Product disposal** : Dispose of in accordance with local regulations. According to the European Waste

Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Packaging disposal : Dispose of in accordance with local regulations. Waste codes should be assigned by the

user, preferably in discussion with the waste disposal authorities.

### 14. TRANSPORT INFORMATION

### Road / Rail (ADR/RID)

Not subject to ADR/RID.

### Sea transport (IMDG)

Not subject to IMDG code.

### Air transport (IATA)

Not subject to IATA regulations.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8

Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

# 15. REGULATORY INFORMATION

### **Labelling according to EEC Directive**

**R-phrases**: R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

**S-phrases** : S24/25 Avoid contact with skin and eyes.

S51 Use only in well-ventilated areas.

S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

### National legislation / regulations

**Ozone depleting** 

chemicals

: No ozone depleting chemicals are present or used in manufacture.

**Status** 

**DSL** : All ingredients listed or exempt.

**EINECS** : All ingredients listed, exempt or notified (ELINCS).

TSCA : All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.

PICCS : Consult your local Dow Corning office.

**IECSC** : All ingredients listed or exempt.

AICS : Consult your local Dow Corning office.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.8 Revision Date: 30.07.2007

# MOLYKOTE(R) P-40 PASTE

#### 16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

**R50/53** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment., **R52/53** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.